

AD

RSIC-812

ON BILATERAL APPROXIMATION IN THE NUMERICAL INTEGRATION OF CAUCHY'S PROBLEM FOR ORDINARY DIFFERENTIAL EQUATIONS

by

S. Z. Zarubych

Dopovidi Akad. Nauk, Ukrain SSR, No. 10
PP 1278-1282, 1965.

Translated from the Ukrainian

June 1968

This document has been approved for public
release and sale; its distribution is unlimited.

REDSTONE SCIENTIFIC INFORMATION CENTER

REDSTONE ARSENAL, ALABAMA

JOINTLY SUPPORTED BY



U.S. ARMY MISSILE COMMAND



GEORGE C. MARSHALL SPACE FLIGHT CENTER

FACILITY FORM 502

(ACCESSION NUMBER)

(THRU)

(PAGES)

(CODE)

(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)

DISPOSITION INSTRUCTIONS

*Destroy this report when it is no longer needed.
Do not return it to the originator.*

DISCLAIMER

*The findings in this report are not to be construed as
an official Department of the Army position unless so
designated by other authorized documents.*

25 June 1968

RSIC-812

**ON BILATERAL APPROXIMATION
IN THE NUMERICAL INTEGRATION OF CAUCHY'S
PROBLEM FOR ORDINARY DIFFERENTIAL EQUATIONS**

by

S. Z. Zarubych

Dopovidi Akad. Nauk, Ukrain SSR, Na.10
PP 1278-1282, 1965.

Translated from the Ukrainian

This document has been approved for public
release and sale; its distribution is unlimited.

Translation Branch
Redstone Scientific Information Center
Research and Development Directorate
U. S. Army Missile Command
Redstone Arsenal, Alabama 35809

ON BILATERAL APPROXIMATION IN THE NUMERICAL INTEGRATION OF CAUCHY'S PROBLEM FOR ORDINARY DIFFERENTIAL EQUATIONS

by

S. Z. Zarubych

The author constructs, in the manner of Gorbunov and Sahov [Z. Vycisl. Mat. i Mat. Fiz. 3 (1963, 239-253; MR 29 No. 739] and Devjatko [Ibid., 3 (1963), 254-265; MR 28 No. 5555], pairs of Runge-Kutta-Fehlberg formulas [Fehlberg, Z. Angew. Math. Mech. 38 (1958), 421-426; MR 20 No. 6791] having order five and principal error functions differing only in sign.

A method of bilateral approximations for the numerical integration of differential equations for Cauchy-type initial conditions was worked out by E. Ya. Remez [1], which makes it possible to easily evaluate the error introduced at any stage.

A number of works [1-4] have been devoted to the bilateral differential methods of Adams, Newton-Cotes, and Runge-Kutta, and there are here no difficulties in the choice of the upper and lower function, which is the case in solving differential equations by S. A. Chaplygin's method [5].

Let us construct a pair of formulas of the Runge-Kutta type such that the exact solution of a differential equation in a certain interval x_0, b , is contained between two approximate numerical solutions, one of which is below, whereas the other solution is above. In deriving formulas, use is being made of E. Fehlberg's transformations [6] and of the results of [3]. This makes it possible to construct bilateral formulas of a high degree of accuracy.

1. Differential Equations of the First Order

Let us consider a first-order differential equation

$$y' = f(x, y) \tag{1}$$

at

$$x = x_0 \quad y = y_0 \quad (2)$$

Instead of (1) and (2) we will examine the equation

$$z' = \varphi(x, z) \quad (3)$$

at

$$x = x_0, \quad z = z_0 = y_0 \quad (4)$$

At the point $x = x_0$

$$z'_0 = 0, \quad z''_0 = 0, \quad (\varphi_z)_0 = 0 \quad (5)$$

and, therefore,

$$(\varphi_x)_0 = 0 \quad (6)$$

Conditions (3) through (6) obviously satisfy transformation [6]:

$$y = z + y'_0(x - x_0) + \frac{1}{2}y''_0(x - x_0)^2 + (f_y)_0(x - x_0)(z - z_0) \quad (7)$$

For the right side of (3) we have

$$\varphi(x, z) = \frac{1}{1 + (f_y)_0(x - x_0)} \left\{ f(x, y(x, z)) - y'_0 - y''_0(x - x_0) - (f_y)_0(z - z_0) \right\} \quad (8)$$

We will present the accurate solution of problems (3) and (4) in the form:

$$\begin{aligned} z(x_1) = & z_0 + z'_0 h + \frac{1}{2!} z''_0 h^2 + \frac{1}{3!} z'''_0 h^3 + \frac{1}{4!} z^{(4)}_0 h^4 + \frac{1}{5!} z^{(5)}_0 h^5 \\ & + \frac{1}{6!} z^{(6)}_0 h^6 + \frac{1}{7!} z^{(7)}_0 h^7 + \dots \end{aligned} \quad (9)$$

by taking into account conditions (5), (6), and (3) we have:

$$z'_0 = 0, \quad z''_0 = 0, \quad z'''_0 = \varphi_{xx}, \quad z^{(4)}_0 = \varphi_{xxx},$$

$$z^{(5)}_0 = \varphi_{xxxx} + 4\varphi_{xx}\varphi_{xz},$$

$$z^{(6)}_0 = \varphi_{xxxxx} + 5\varphi_{xxx}\varphi_{xz} + 10\varphi_{xx}\varphi_{xxz}.$$

Let us consider the quantities:

$$k_1 = \varphi(x_0 + \alpha_1 h, z_0)h,$$

$$k_2 = \varphi(x_0 + \alpha_2 h, z_0 + \beta k_1)h,$$

$$k_3 = \varphi(x_0 + \alpha_3 h, z_0 + \gamma k_1 + \delta k_2)h;$$

$$k = z_1 - z_0 = c_1 k_1 + c_2 k_2 + c_3 k_3. \quad (10)$$

Having expanded the quantities k_i ($i = 1, 2, 3$) in a Taylor series and denoting $\Delta z(x_0)$ by the exact value of the difference of solutions with Δz_0 approximate, we conclude that $\Delta z(x_0) - \Delta z_0$ is a polynomial in h . Let the quantities α_i ($i = 1, 2, 3$), β , γ , δ , c ($i = 1, 2, 3$) be chosen in such a way that

$$z(x_1) - z_1 = h^6 \alpha \psi(\varphi)_0 + O(h^7).$$

By selecting two values of α , differing only in sign, we obtain formulas of the bilateral method [3].

2. Derivation of Bilateral Methods Having Order Five of Accuracy

Let us consider the expression

$$\begin{aligned} \Delta z(x_0) - \Delta z_0 &= \frac{h^3}{2} \left[\frac{1}{3} - (\alpha_1^2 c_1 + \alpha_2^2 c_2 + \alpha_3^2 c_3) \right] \varphi_{xx} \\ &+ \frac{h^4}{6} \left[\frac{1}{4} - (\alpha_1^3 c_1 + \alpha_2^3 c_2 + \alpha_3^3 c_3) \right] \varphi_{xxx} \end{aligned}$$

$$\begin{aligned}
& + \frac{h^5}{24} \left[\frac{1}{5} - (\alpha_1^4 c_1 + \alpha_2^4 c_2 + \alpha_3^4 c_3) \right] \varphi_{xxxx} \\
& + \frac{h^5}{2} \left[\frac{1}{15} - (\alpha_1^2 \alpha_2 \beta c_2 + \alpha_1^2 \alpha_3 \gamma c_3 + \alpha_2^2 \alpha_3 \delta c_3) \right] \varphi_{xx} \varphi_{xz} \\
& + \frac{h^6}{120} \left[\frac{1}{6} - (\alpha_1^5 c_1 + \alpha_2^5 c_2 + \alpha_3^5 c_3) \right] \varphi_{xxxxx} \\
& + \frac{h^6}{4} \left[\frac{1}{18} - (\alpha_1^2 \alpha_2^2 \beta c_2 + \alpha_1^2 \alpha_3^2 \gamma c_3 + \alpha_2^2 \alpha_3^2 \delta c_3) \right] \varphi_{xx} \varphi_{xzz} \\
& + \frac{h^6}{6} \left[\frac{1}{24} - (\alpha_1^3 \alpha_2 \beta c_2 + \alpha_1^3 \alpha_3 \gamma c_3 + \alpha_2^3 \alpha_3 \delta c_3) \right] \varphi_{xxx} \varphi_{xz} + \dots
\end{aligned} \tag{11}$$

From (11) we will determine parameters so that

$$\Delta z(x_o) - \Delta z_o = h^6 \alpha \psi(\varphi)_o + O(h^7) . \tag{12}$$

As a result we will obtain three pairs of formulas each of which is a bilateral Runge-Kutta type method for transformed equations (3) and (4):

$$\begin{aligned}
k_1 &= \varphi \left(x_o + \frac{9}{10} h, z_o \right) h , \\
k_2 &= \varphi \left(x_o + \frac{13}{15} h, z_o + \frac{2^3 \cdot 13}{9^4} k_1 \right) h , \\
k_3 &= \varphi \left(x_o + h, z_o + \frac{10 \cdot 3^2}{13^4} k_2 - \frac{170 \cdot 2^3}{3^5 \cdot 11} k_1 \right) h , \\
k &= z_1 - z_o = - \frac{2 \cdot 10^3}{3^5} k_1 + \frac{3 \cdot 15^3}{8 \cdot 13^2} k_2 + \frac{11}{8} k_3 , \\
x &= x_o + h , \quad z_1 = z_o + k .
\end{aligned} \tag{13}$$

$$\begin{aligned}
k_1 &= \varphi \left(x_o + \frac{9}{10} h, z_o \right) h , \\
k_2 &= \varphi \left(x_o + \frac{1}{15} h, z_o + \frac{2 \cdot 10^2}{9^4} k_1 \right) h ,
\end{aligned}$$

$$k_3 = \varphi\left(x_0 + h, z_0 - \frac{43 \cdot 2^6}{3^5 \cdot 65} k_1 - \frac{154 \cdot 3^2}{65} k_2\right) h ,$$

$$k = z_1 - z_0 = \frac{10 \cdot 2^4}{3^5} k_1 + \frac{5 \cdot 9^2}{56} k_2 - \frac{13}{56} k_3 ,$$

$$x = x_0 + h , \quad z_1 = z_0 + k . \quad (13a)$$

$$k_1 = \varphi\left(x_0 + \frac{2}{5} h, z_0\right) h ,$$

$$k_2 = \varphi\left(x_0 + \frac{4}{5} h, z_0 + \frac{4}{3} k_1\right) h ,$$

$$k_3 = \varphi\left(x_0 + h, z_0 + \frac{5}{128} (212k_1 - 45k_2)\right) h ,$$

$$k = z_1 - z_0 = \frac{1}{1152} (500k_1 + 375k_2 + 64k_3) ,$$

$$x_1 = x_0 + h , \quad z_1 = z_0 + k . \quad (14)$$

$$k_1 = \varphi\left(x_0 + \frac{2}{5} h, z_0\right) h ,$$

$$k_2 = \varphi\left(x_0 + \frac{4}{5} h, z_0 + \frac{4}{3} k_1\right) h ,$$

$$k_3 = \varphi\left(x_0 + h, z_0 + \frac{5}{128} (99k_2 - 364k_1)\right) h .$$

$$k = z_1 - z_0 = \frac{1}{1152} (500k_1 + 375k_2 + 64k_3) ,$$

$$x_1 = x_0 + h , \quad z_1 = z_0 + k . \quad (14a)$$

The solution of problems (3) and (4) is found as the mean value of the sum of the upper and lower approximation for $z(x)$. By substituting the values found into equality (7) we will find the solution of problems (1) and (2).

BIBLIOGRAPHY

1. E. Ya. Remez, Zap. Prirodnicho-tekhnichnogo Viddilu AN URSS (Notes of Natural and Technical Sciences Section of the Academy of Sciences UkrSSR), 1, 1, 1930/31.
2. E. Ya. Remez, UMZH (Ukrainian Journal of Mathematics), 10, 413, 1958.
3. A. D. Gorbunov and Yu. A. Shakhov, Zhurn. Vychisl. Mat. i Mat. Fiziki (Journal of Computational Mathematics and Mathematical Physics), 3, 239, 1963.
4. V. I. Devyatko, Zhurn. Vychisl. Mat. i Mat. Fiziki (Journal of Computational Mathematics and Mathematical Physics), 3, 254, 1963.
5. S. A. Chaplygin, Sobr. soch. (Collected Works), 1, 347, 1948.
6. E. Fehlberg, ZAMM, 38, 421, 1958.

DISTRIBUTION

	No. of Copies		No. of Copies
<u>EXTERNAL</u>		U. S. Atomic Energy Commission	1
Air University Library	1	ATTN: Reports Library, Room G-017	
ATTN: AUL3T		Washington, D. C. 20545	
Maxwell Air Force Base, Alabama 36112		U. S. Naval Research Laboratory	1
U. S. Army Electronics Proving Ground	1	ATTN: Code 2027	
ATTN: Technical Library		Washington, D. C. 20390	
Fort Huachuca, Arizona 85613		Weapons Systems Evaluation Group	1
Naval Weapons Center	1	Washington, D. C. 20305	
ATTN: Technical Library, Code 753		John F. Kennedy Space Center, NASA	2
China Lake, California 93555		ATTN: KSC Library, Documents Section	
Naval Weapons Center, Corona Laboratories	1	Kennedy Space Center, Florida 32899	
ATTN: Documents Librarian		APGC (PGBPS-12)	1
Corona, California 91720		Eglin Air Force Base, Florida 32542	
Lawrence Radiation Laboratory	1	U. S. Army CDC Infantry Agency	1
ATTN: Technical Information Division		Fort Benning, Georgia 31905	
P. O. Box 808		Argonne National Laboratory	1
Livermore, California 94550		ATTN: Report Section	
Sandia Corporation	1	9700 South Cass Avenue	
ATTN: Technical Library		Argonne, Illinois 60440	
P. O. Box 969		U. S. Army Weapons Command	1
Livermore, California 94551		ATTN: AMSWE-RDR	
U. S. Naval Postgraduate School	1	Rock Island, Illinois 61201	
ATTN: Library		Rock Island Arsenal	1
Monterey, California 93940		ATTN: SWERI-RDI	
Electronic Warfare Laboratory, USAECOM	1	Rock Island, Illinois 61201	
Post Office Box 205		U. S. Army Cmd. & General Staff College	1
Mountain View, California 94042		ATTN: Acquisitions, Library Division	
Jet Propulsion Laboratory	2	Fort Leavenworth, Kansas 66027	
ATTN: Library (TDS)		Combined Arms Group, USACDC	1
4800 Oak Grove Drive		ATTN: Op. Res., P and P Div.	
Pasadena, California 91103		Fort Leavenworth, Kansas 66027	
U. S. Naval Missile Center	1	U. S. Army CDC Armor Agency	1
ATTN: Technical Library, Code N3022		Fort Knox, Kentucky 40121	
Point Mugu, California 93041		Michoud Assembly Facility, NASA	1
U. S. Army Air Defense Command	1	ATTN: Library, I-MICH-OSD	
ATTN: ADSX		P. O. Box 29300	
Ent Air Force Base, Colorado 80912		New Orleans, Louisiana 70129	
Central Intelligence Agency	4	Aberdeen Proving Ground	1
ATTN: OCR/DD-Standard Distribution		ATTN: Technical Library, Bldg. 313	
Washington, D. C. 20505		Aberdeen Proving Ground, Maryland 21005	
Harry Diamond Laboratories	1	NASA Sci. & Tech. Information Facility	5
ATTN: Library		ATTN: Acquisitions Branch (S-AK/DL)	
Washington, D. C. 20438		P. O. Box 33	
Scientific & Tech. Information Div., NASA	1	College Park, Maryland 20740	
ATTN: ATS		U. S. Army Edgewood Arsenal	1
Washington, D. C. 20546		ATTN: Librarian, Tech. Info. Div.	
		Edgewood Arsenal, Maryland 21010	

	No. of Copies		No. of Copies
National Security Agency ATTN: C3/TDL Fort Meade, Maryland 20755	1	Brookhaven National Laboratory Technical Information Division ATTN: Classified Documents Group Upton, Long Island, New York 11973	1
Goddard Space Flight Center, NASA ATTN: Library, Documents Section Greenbelt, Maryland 20771	1	Watervliet Arsenal ATTN: SWEWV-RD Watervliet, New York 12189	1
U. S. Naval Propellant Plant ATTN: Technical Library Indian Head, Maryland 20640	1	U. S. Army Research Office (ARO-D) ATTN: CRD-AA-IP Box CM, Duke Station Durham, North Carolina 27706	1
U. S. Naval Ordnance Laboratory ATTN: Librarian, Eva Liberman Silver Spring, Maryland 20910	1	Lewis Research Center, NASA ATTN: Library 21000 Brookpark Road Cleveland, Ohio 44135	1
Air Force Cambridge Research Labs. L. G. Hanscom Field ATTN: CRMCLR/Stop 29 Bedford, Massachusetts 01730	1	Foreign Technology Division ATTN: Library Wright-Patterson Air Force Base, Ohio 45400	1
U. S. Army Tank Automotive Center ATTN: SMTA-RTS.1 Warren, Michigan 48090	1	U. S. Army Artillery & Missile School ATTN: Guided Missile Department Fort Sill, Oklahoma 73503	1
U. S. Army Materials Research Agency ATTN: AMXMR-ATL Watertown, Massachusetts 02172	1	U. S. Army CDC Artillery Agency ATTN: Library Fort Sill, Oklahoma 73504	1
Strategic Air Command (OAI) Offutt Air Force Base, Nebraska 68113	1	U. S. Army War College ATTN: Library Carlisle Barracks, Pennsylvania 17013	1
Picatinny Arsenal, USAMUCOM ATTN: SMUPA-VA6 Dover, New Jersey 07801	1	U. S. Naval Air Development Center ATTN: Technical Library Johnsville, Warminster, Pennsylvania 18974	1
U. S. Army Electronics Command ATTN: AMSEL-CB Fort Monmouth, New Jersey 07703	1	Frankford Arsenal ATTN: C-2500-Library Philadelphia, Pennsylvania 19137	1
Sandia Corporation ATTN: Technical Library P. O. Box 5800 Albuquerque, New Mexico 87115	1	Div. of Technical Information Ext., USAEC P. O. Box 62 Oak Ridge, Tennessee 37830	1
ORA(RRRT) Holloman Air Force Base, New Mexico 88330	1	Oak Ridge National Laboratory ATTN: Central Files P. O. Box X Oak Ridge, Tennessee 37830	1
Los Alamos Scientific Laboratory ATTN: Report Library P. O. Box 1663 Los Alamos, New Mexico 87544	1	Air Defense Agency, USACDC ATTN: Library Fort Bliss, Texas 79916	1
White Sands Missile Range ATTN: Technical Library White Sands, New Mexico 88002	1	U. S. Army Air Defense School ATTN: AKBAAS-DR-R Fort Bliss, Texas 79906	1
Rome Air Development Center (EMLAL-1) ATTN: Documents Library Griffiss Air Force Base, New York 13440	1		

	No. of Copies		No. of Copies
U. S. Army Combat Developments Command	1	<u>INTERNAL</u>	
Institute of Nuclear Studies			
Fort Bliss, Texas 79916		Headquarters	
Manned Spacecraft Center, NASA	1	U. S. Army Missile Command	
ATTN: Technical Library, Code BM6		Redstone Arsenal, Alabama 35809	
Houston, Texas 77058		ATTN: AMSMI-D	1
Defense Documentation Center	20	AMSMI-XE, Mr. Lowers	1
Cameron Station		AMSMI-Y	1
Alexandria, Virginia 22314		AMSMI-R, Mr. McDaniel	1
U. S. Army Research Office	1	AMSMI-RAP	1
ATTN: STINFO Division		AMSMI-RBLD	10
3045 Columbia Pike		USACDC-LnO	1
Arlington, Virginia 22204		AMSMI-RB, Mr. Croxton	1
		AMSMI-RBT	8
U. S. Naval Weapons Laboratory	1	National Aeronautics & Space Administration	
ATTN: Technical Library		Marshall Space Flight Center	
Dahlgren, Virginia 22448		Marshall Space Flight Center, Ala. 35812	
U. S. Army Engineer Res. & Dev. Labs.	2	ATTN: MS-T, Mr. Wiggins	5
ATTN: Scientific & Technical Info. Br.		R-COMP-T, Dr. Fehlberg	1
Fort Belvoir, Virginia 22060			
Langley Research Center, NASA	1		
ATTN: Library, MS-185			
Hampton, Virginia 23365			
Research Analysis Corporation	1		
ATTN: Library			
McLean, Virginia 22101			
Foreign Science & Technology Center	3		
Munitions Building			
Washington, D. C. 20315			
National Aeronautics & Space Administration	2		
Code USS-T (Translation Section)			
Washington, D. C. 20546			

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Redstone Scientific Information Center Research and Development Directorate U. S. Army Missile Command Redstone Arsenal, Alabama 35899		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP N/A	
3. REPORT TITLE ON BILATERAL APPROXIMATION IN THE NUMERICAL INTEGRATION OF CAUCHY'S PROBLEM FOR ORDINARY DIFFERENTIAL EQUATIONS Dopovidi Akad. Nauk, Ukrain, SSR, No. 10, pp. 1278-1282, 1965.			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Translated from the Ukrainian			
5. AUTHOR(S) (First name, middle initial, last name) S. Z. Zarubych			
6. REPORT DATE 25 June 1968		7a. TOTAL NO. OF PAGES 12	7b. NO. OF REFS 6
8a. CONTRACT OR GRANT NO. N/A		9a. ORIGINATOR'S REPORT NUMBER(S) RSIC-812	
b. PROJECT NO. N/A		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) AD _____	
c.			
d.			
10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES None		12. SPONSORING MILITARY ACTIVITY Same as No. 1	
13. ABSTRACT The author constructs, in the manner of Gorbunov and Sahov [Z. Vycisl. Mat. i Mat. Fiz. 3 (1963), 239-253; MR 29 No. 739] and Devjatko [Ibid., 3 (1963), 254-265; MR 28 No. 5555], pairs of Runge-Kutta-Fehlberg formulas [Fehlberg, Z. Angew. Math. Mech. 38 (1958), 421-426; MR 20 No. 6791] having order five and principal error functions differing only in sign.			

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS
OBSOLETE FOR ARMY USE.UNCLASSIFIED
Security Classification

11

UNCLASSIFIED

Security Classification

14.	KEY WORDS	LINK A		LINK B		LINK C	
		ROLE	WT	ROLE	WT	ROLE	WT
	Differential equations Fehlberg transformations Bilateral differential methods Runge-Kutta type formulas						

UNCLASSIFIED

Security Classification